



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/507,325

09/10/2004

Hideki Morita

APA-0216

2850

74384

7590

08/04/2008

Cheng Law Group, PLLC
1100 17th Street, N.W.
Suite 503
Washington, DC 20036

EXAMINER

LAZORCIK, JASON L

ART UNIT

PAPER NUMBER

1791

MAIL DATE

DELIVERY MODE

08/04/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

DETAILED ACTION

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 6 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Applicant claims that the equations presented in steps (1) through (5) of the instant claim are employed to the selection of the optimum wavelength, but Applicant has failed to establish any Nexus between said equations and the selected optimum wavelength. As noted more fully in the rejection of claims below, the equations (1) to (5) represent mathematical rearrangements of the Beer-Lambert law, but on their face said equations do not have an explicit relationship to the optimum wavelength. Although Applicant claims that the equations are broadly utilized to select the optimum wavelength, Applicant has failed to indicate precisely how said equations are in fact utilized. In view of the foregoing, one of ordinary skill in the art would not necessarily be apprised of the particular metes and bounds of Applicants claimed invention.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and

Art Unit: 1791

the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-4 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Smart (US 6,337,462 B1).

Smart broadly teaches a system and method used for processing a brittle material, such as silicon, by illuminating said brittle material with light of an optimized wavelength.

Smart provides data in figure 1 which details the absorption coefficient as a function of wavelength wherein said data was obtained upon a sample of the same brittle material intended for the processing steps. Although the Smart reference is silent regarding the method employed to obtain this data set, it is the Examiners position that said data was either implicitly obtained by irradiating a light with a plurality of wavelengths onto a sample of the brittle material, or alternately that such a measurement would have represented a merely trivial extension over the Smart teachings for one of ordinary skill in the art at the time of the invention.

Specifically, one of ordinary skill would recognize the data presented in figure 1 as corresponding to a conventional absorbance data in the near-IR wavelength range. Applicants claimed method of acquiring such a spectrogram, namely by irradiating light having a plurality of wavelengths onto a “plate-shaped” sample would be recognized as merely routine and conventional to a skilled artisan. Similarly a skilled practitioners would be apprised of the established mathematical correlation between absorbance, irradiation intensity, absorption coefficient, and the sample thickness commonly referenced as the Beer-Lambert law. Conventional spectrometers measure light intensity (e.g. absorbance or transmittance) as a function of wavelength, and it follows in view of the Beer-Lambert law that the figure 1 plot of absorption coefficient versus wavelength must therefore account for the sample thickness.




FIG. 1

In short, the data presented by Smart in figure 1 imply the execution of Applicants claimed steps of

1) irradiating a light onto a plate-shaped sample with a plurality of wavelengths

Alternately, it is the Examiners position that such steps are merely conventional and would represent a trivial and routine measure for skilled practitioners in view of the Smart disclosure.

Next, Smart teaches (Column 5, line 63 to column 6, line 14) a value of absorptance of the plate shaped sample is calculated for incident radiation at wavelengths of 1.047 and 1.2 microns. This absorptance (I/I_0) is calculated based upon a set value of absorptance (e.g. fig 1) and a thickness (x) of the plate-shaped sample. Specifically, the illumination wavelength is set or selected to be at a wavelength beyond the absorption edge of about 1.1 microns (Column 2, Lines 10-12) in order to minimize thermal processing damage to the substrate.

In view of the calculated absorptance values (e.g. 86.5% at 1.047 microns versus 1% at 1.2 microns) and the actual absorptance data from figure 1, Smart determines that irradiation at 1.2 microns is an optimal wavelength for processing of the brittle material. This optimal wavelength for processing the brittle material is "set in advance" and it is the examiners position that during the processing, a light source with the optimal wavelength is at least partially absorbed by the sample and "serves as a heating source onto the brittle material". It is further noted that the sample is mounted upon a table (34) which serves as a "reflective layer" [**Claims 3, 4**] on the rear side of a light irradiating position and that the sample is repeatedly advanced into position along "a predetermined line".

Smart discloses that the selected wavelength of light plays an important role in effectively processing the brittle substrate material without subjecting said brittle material to excessive heating and damage. Since Smart selects a wavelength for which the brittle material is largely transparent, it should appear evident that this optimum wavelength "permits a region of an internal material portion of the brittle material and the surface vicinity of the brittle material to become an absorbing region by the irradiation of the light onto the brittle material".

As noted above, it is implicitly understood from the absorbance coefficient plot presented in figure 1 that the sample(s) of material used to generate said plot were irradiated "in sequence" by at least one light source having a plurality of mutually exclusive wavelengths. Should Applicant argue that Smart nowhere explicitly stated that the sample data of figure 1 was acquired using a plurality of different sources having exclusive wavelengths, then it is the Examiners position that one of ordinary skill in the art would have been fully capable of obtaining the sample absorbance data by any conventional means available in the art at the time of the invention [**Claim 2**].

Restated, the preferred method of acquiring the sample absorbance data is not deemed particularly germane to the method of using said data to select an appropriate irradiation wavelength for the processing of the brittle material. It follows, absent any compelling evidence to the contrary, it would have been just as obvious to acquire individual absorbance datapoints for the sample material using, for example, a plurality of monochromatic sources (lasers) of mutually exclusive wavelengths as it would have

been to utilize a single broadband source paired with a monochrometer. At the very least, it would have been obvious for one of ordinary skill in the art to try the plurality of light sources at the time of the invention.

The reference further instructs (Column 5, line 63 – Column 6, line 14) that the chosen wavelength affects the depth to which the incident radiation penetrates the substrate. In this passage, Smart lays out the particular relationship between illumination depth, material absorbance, and wavelength which would have represented a significant concern to processing the buried features of particular concern in the reference (Column 8, lines 15-48). Further, Smart teaches that a minor change in the illumination wavelength results in a drastic change in absorption efficiency.

Now, with respect to Applicants newly submitted Claim 6, Applicant was previously advised that the mathematical relationship presented by the Beer-Lambert Law would be readily appreciated by one of ordinary skill in the art. Specifically, the Beer-Lambert Law;

$$T = \frac{I_1}{I_0} = 10^{-\alpha l} = 10^{-\epsilon l c}$$

Teaches that Transmissivity (or Absorbance/100) is related to the absorption coefficient of the material (α) and the thickness of the material (l). Steps (1) through (3) of the instant claim 6 appear to be simple mathematical transforms of the basic Beer-Lambert Law as presented above. In Steps (4) and (5), applicant appears to merely

Art Unit: 1791

derive the expected absorbance value of a sample having a thickness d to a sample of the same material having a different thickness D .

Although it is entirely unclear how these mathematical formulae factor into selecting the optimum wavelength for processing the brittle material, said equations and their present transforms would be viewed as elementary considerations for one of ordinary skill in the art. As Smart has shown above, the optimum wavelength is selected based upon the inherent transmission properties of the material being processed and upon the thickness of said material. One of ordinary skill would reasonably be expected to perform the instant calculations in order to insure that light of the optimum wavelength would penetrate to an effective depth in the brittle material.

Response to Arguments

Applicant's arguments filed April 25, 2008 have been fully considered but they are not persuasive.

Specifically, Applicant argues that the purpose of the optimal wavelength in the Smart disclosure is to "minimize thermal processing damage to the substrate and not for the generation of an uniform heating band in the thickness direction and the formation of cracks deep in the internal portion of the brittle material". Applicant concludes that the Smart optimal wavelength fails to "permit a region of an internal material portion of the brittle material and the surface vicinity of the brittle material to become an absorbing region by the irradiation of the light onto the brittle material".

In response, Smart explicitly teaches that ~1% of the energy is absorbed for the "optimal wavelength" of 1.2 microns at a depth of $x=1\text{mm}$ and that 86.5% is absorbed at the alternate wavelength of 1.047 microns. In both of the disclosed cases, photons are absorbed both at the surface vicinity of the material as well as at an internal material portion (e.g. at a depth of 1mm). It follows that the Smart disclosure in fact does provide for an optimal wavelength which permits "a region of an internal material portion of the brittle material and the surface vicinity of the brittle material to become an absorbing region by the irradiation of the light onto the brittle material" as claimed.

To the extent that Applicant argues that the Smart process fails to suggest or disclose a process to "minimize thermal processing damage to the substrate and not for the generation of an uniform heating band in the thickness direction and the formation of cracks deep in the internal portion of the brittle material", Applicant is advised that such limitations are nowhere reflected in the instant claim language. Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Lapham (US 4,399,345) teaches selective processing of brittle substrates by optimization and tuning of the irradiation wavelength and is understood to apply under 35 U.S.C. 102(b)/103(a) according to similar arguments presented above

Art Unit: 1791

for the Smart (US 6,337,462 B1) reference. Leong et. al. (US 5,611,946) present a multi-wavelength laser cutter system for processing brittle substrates similar to Smart and Lephram. Any reply to the instant Official Action should carefully consider the scope and content of each of these disclosures.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JASON L. LAZORCIK whose telephone number is (571)272-2217. The examiner can normally be reached on Monday through Friday 8:30 am to 5:00pm.

Art Unit: 1791

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven Griffin can be reached on (571) 272-1189. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Steven P. Griffin/
Supervisory Patent Examiner, Art
Unit 1791

JLL